

Pole Location # K1—White Gum Skate Park

SWEK CCTV Project Stage 1 (2018/19)

CCTV Camera locations and coverage



COVERAGE



Camera K1.1 - Skate Park and White Gum Park



Camera K1.2—White Gum Street (West) and frontage of Lot 50



Camera K1.3— White Gum Street (East) towards Back Packers

CCTV cameras are required at this site to provide footage of the White Gum Park area including the Skate Park, cars parking in White Gum Street and service road. Cameras will be required to provide facial identification (120% level resolution) of pedestrians accessing the area and registration details of vehicles accessing the White Gum Street.

Pole Location	X 472159, Y 8256265 (GDA94 / MGA zone 52)
Specifications	Mounted to existing light pole 240V Power available on existing on light pole (lights set on timer) CCTV power and data hardware housed in a vandal resistant, IP67 rated enclosure. Shade structures to be provided for all enclosures.

Camera	Duty Statement	Site Information
K1.1 - PTZ Camera	Facial identification (120% level resolution) of pedestrians in the area.	120% ANZPAA capture level of 150m at night. Camera will face south west with a required range of 150m.
K1.2 - PTZ Camera	Facial identification (120% level resolution) of pedestrians in the area. Number plate recognition of vehicles using roads	120% ANZPAA capture level of 100m at night. Camera will face north over the skate park with a required range of 100m.
K1.3 - PTZ Camera	Facial identification (120% level resolution) of pedestrians in the area. Number plate recognition of vehicles using roads	120% ANZPAA capture level of 150m at night. Camera will face south east with a required range of 150m.

Location # K2—White Gum Park

SWEK CCTV Project Stage 1 (2018/19)

CCTV Camera locations and coverage



COVERAGE



Camera K2.1 - White Gum Park south west

Camera K2.2—White Gum north

Camera K2.3— White Gum south east

CCTV cameras are required at this site to provide footage of the White Gum Park area including paths and lawn area. Cameras will be required to provide facial identification (120% level resolution) of pedestrians accessing the area. Capture of the north entrance to the park.

Pole Location X 472117, Y 8256315 (GDA94 / MGA zone 52)

Specifications Mounted to existing Shire owned light pole
240 volt power available to existing light pole
CCTV power and data hardware housed in a vandal resistant, IP67 rated enclosure. Shade structures to be provided for all enclosures.

Camera	Duty Statement	Site Information
K2.1 - Fixed/PTZ Camera	Facial identification (120% level resolution) of pedestrians in the area.	120% ANZPAA capture level of 100m at night. Camera will face south west with a required range of 100m.
K2.2 - Fixed/PTZ Camera	Facial identification (120% level resolution) of pedestrians in the area.	120% ANZPAA capture level of 100m at night. Camera will face north and north east with a required range of 100m.
K2.3 - Fixed/PTZ Camera	Facial identification (120% level resolution) of pedestrians in the area.	120% ANZPAA capture level of 100m at night. Camera will face south east with a required range of 100m.

Location # K3—Coolibah Street and Cotton Tree

SWEK CCTV Project Stage 1 (2018/19)

CCTV Camera locations and coverage

COVERAGE



Camera K3.1 - Coolibah Dr (South)



Camera K3.2—Cotton Tree



Camera K3.3— Coolibah Street (North)

CCTV cameras are required at this site to provide footage of Coolibah Drive area including paths and lawn areas and cover Cotton Tree Av. Cameras will be required to:

- Provide facial identification (120% level resolution) of pedestrians accessing the area.
- Registration details of vehicles accessing the area.

Pole Location	X 472089, Y 8256136 (GDA94 / MGA zone 52)
Specifications	Install new pole Powered available from Unmetered Supply Point at location CCTV power and data hardware housed in a vandal resistant, IP67 rated enclosure. Shade structures to be provided for all enclosures.

Camera	Duty Statement	Site Information
K3.1 - PTZ Camera	Facial identification (120% level resolution) of pedestrians in the area. Number plate recognition of vehicles using roads	120% ANZPAA capture level of 150m at night. Camera will face south with a required range of 150m.
K3.2 - PTZ Camera	Facial identification (120% level resolution) of pedestrians in the area. Number plate recognition of vehicles using roads	120% ANZPAA capture level of 150m at night. Camera will face north with a required range of 150m.
K3.3 - PTZ Camera	Facial identification (120% level resolution) of pedestrians in the area. Number plate recognition of vehicles using roads	120% ANZPAA capture level of 100m at night. Camera will face east with a required range of 100m.

Location # K4—Konkerberry Dr and Banksia St

SWEK CCTV Project Stage 1 (2018/19)

CCTV Camera locations and coverage



Camera K4.1 - Konkerberry Dr (West)



Camera K4.2—Cotton Tree



Camera K4.3—Coolibah Street (North)

CCTV cameras are required at this site to provide footage of Konkerberry Drive area including paths and lawn areas and cover Banksia St.
Cameras will be required to:

- Provide facial identification (120% level resolution) of pedestrians accessing the area.
- Registration details of vehicles accessing the area.

Pole Location	X 472117, Y 8255949 (GDA94 / MGA zone 52)
Specifications	Install new pole No existing power source Camera power and data hardware housed in a vandal resistant, IP67 rated enclosure. Shade structures to be provided for all enclosures.

Camera	Duty Statement	Site Information
K4.1 - PTZ Camera	Facial identification (120% level resolution) of pedestrians in the area.	120% ANZPAA capture level of 150m at night. Camera will face south west with a required range of 150m.
K4.2 - PTZ Camera	Facial identification (120% level resolution) of pedestrians in the area.	120% ANZPAA capture level of 150m at night. Camera will face north west with a required range of 150m.
K4.3 - PTZ Camera	Facial identification (120% level resolution) of pedestrians in the area.	120% ANZPAA capture level of 150m at night. Camera will face north east with a required range of 150m.
K4.4 - PTZ Camera	Facial identification (120% level resolution) of pedestrians in the area.	120% ANZPAA capture level of 100m at night. Camera will face east with a required range of 100m.

Location # K5—Konkerberry Dr and Messmate Wy

SWEK CCTV Project Stage 1 (2018/19)

CCTV Camera locations and coverage



COVERAGE



Camera K5.1 - Messmate Way (North)



Camera K5.2—Konkerberry Dr (East)



Camera K5.3— Messmate Way (South)

CCTV cameras are required at this site to provide footage of Konkerberry Drive area including paths and lawn areas and cover Banksia St.

Cameras will be required to:

- Provide facial identification (120% level resolution) of pedestrians accessing the area.
- Registration details of vehicles accessing the area.

Pole Location X 472000, Y 8255839 (GDA94 / MGA zone 52)

Specifications New pole or Horizon Power 4 way light pole on roundabout.
No existing power source
CCTV power and data hardware housed in a vandal resistant, IP67 rated enclosure. Shade structures to be provided for all enclosures.

Camera	Duty Statement	Site Information
K5.1 - Fixed/PTZ Camera	Facial identification (120% level resolution) of pedestrians in the area.	120% ANZPAA capture level of 150m at night. Camera will face west with a required range of 150m.
K5.2 - Fixed/PTZ Camera	Facial identification (120% level resolution) of pedestrians in the area.	120% ANZPAA capture level of 150m at night. Camera will face north with a required range of 150m.
K5.3 - Fixed/PTZ Camera	Facial identification (120% level resolution) of pedestrians in the area.	120% ANZPAA capture level of 150m at night. Camera will face east with a required range of 150m.
K5.4 - Fixed/PTZ Camera	Facial identification (120% level resolution) of pedestrians in the area.	120% ANZPAA capture level of 150m at night. Camera will face south with a required range of 150m.

Location # K6 - Coolibah Dr and Chestnut Av

SWEK CCTV Project Stage 1 (2018/19)

CCTV Camera locations and coverage

COVERAGE



Camera K6.1 - Coolibah Dr (West)



Camera K6.2—Chestnut Av



Camera K6.3— Coolibah Dr (East)

CCTV cameras are required at this site to provide footage of Coolibah Drive area including paths, parking and lawn areas and cover Chestnut Av.

Cameras will be required to:

- Provide facial identification (120% level resolution) of pedestrians accessing the area.
- Registration details of vehicles accessing the area.

Pole Location X471695, Y 8255868 (GDA94 / MGA zone 52)

Specifications Install new pole
No existing power source
CCTV power and data hardware housed in a vandal resistant, IP67 rated enclosure. Shade structures to be provided for all enclosures.

Camera	Duty Statement	Site Information
K6.1 - Fixed/PTZ Camera	Facial identification (120% level resolution) of pedestrians in the area.	120% ANZPAA capture level of 150m at night. Camera will face west with a required range of 150m.
K6.2 - Fixed/PTZ Camera	Facial identification (120% level resolution) of pedestrians in the area.	120% ANZPAA capture level of 150m at night. Camera will face north with a required range of 150m.
K6.3 - Fixed/PTZ Camera	Facial identification (120% level resolution) of pedestrians in the area.	120% ANZPAA capture level of 150m at night. Camera will face east with a required range of 150m.

Location # K7—Ron Hohnett Dr (Youth Centre and sports areas)

SWEK CCTV Project Stage 1 (2018/19)

CCTV Camera locations and coverage

COVERAGE



Camera K7.1 - Ron Hodnett Dr (West)



Camera K7.2—Town Oval

CCTV cameras are required at this site to provide footage of Town Oval and Ron Hodnett Dr and the entrance to the Youth Centre. Cameras will be required to:

- Provide facial identification (120% level resolution) of pedestrians accessing the area.
- Registration details of vehicles accessing the area.

Pole Location	X 471717, Y 8256207 (GDA94 / MGA zone 52)
Specifications	Mounted to existing light pole 240 volt power available to existing pole CCTV power and data hardware housed in a vandal resistant, IP67 rated enclosure. Shade structures to be provided for all enclosures.

Camera	Duty Statement	Site Information
K7.1 - PTZ Camera	Facial identification (120% level resolution) of pedestrians in the area.	120% ANZPAA capture level of 150m at night. Camera will face south with a required range of 150m.
K7.2 - PTZ Camera	Facial identification (120% level resolution) of pedestrians in the area.	120% ANZPAA capture level of 150m at night. Camera will face north with a required range of 150m.

Location # K8—Victoria Highway and Messmate Way

SWEK CCTV Project Stage 1 (2018/19)

CCTV Camera locations and coverage



COVERAGE



Camera K8.1 - Victoria Highway (West)



Camera K8.2—Messmate Way (North)



Camera K8.3— Victoria Highway (East)

CCTV cameras are required at this site to provide footage of Vitoria Highway and Messmate Way.

Cameras will be required to:

- Provide facial identification (120% level resolution) of pedestrians accessing the area.
- Registration details of vehicles accessing the area.

Pole Location X 472259, Y 8255454 (GDA94 / MGA zone 52)

Specifications Install new pole
No existing power source
CCTV power and data hardware housed in a vandal resistant, IP67 rated enclosure. Shade structures to be provided for all enclosures.

Camera	Duty Statement	Site Information
K8.1 - Fixed	Facial identification (120% level resolution) of pedestrians in the area.	120% ANZPAA capture level of 150m at night. Camera will face west with a required range of 150m.
K8.2 - PTZ Camera	Facial identification (120% level resolution) of pedestrians in the area.	120% ANZPAA capture level of 150m at night. Camera will face north with a required range of 150m.
K8.3 - Fixed	Facial identification (120% level resolution) of pedestrians in the area.	120% ANZPAA capture level of 150m at night. Camera will face east with a required range of 150m.
K8.4 - PTZ Camera	Facial identification (120% level resolution) of pedestrians in the area.	120% ANZPAA capture level of 100m at night. Camera will face south with a required range of 100m.

Location # K9—Messmate Way and River Fig Av

SWEK CCTV Project Stage 1 (2018/19)

CCTV Camera locations and coverage



COVERAGE



Camera K9.1 - Messmate Way, Shopping area and Parking



Camera K9.2—River Fig Av



Camera K9.3— Messmate Way Lawn area

CCTV cameras are required at this site to provide footage of River Fig Av and Messmate Way.

Cameras will be required to:

- Provide facial identification (120% level resolution) of pedestrians accessing the area.
- Registration details of vehicles accessing the area.

Pole Location X 472071, Y 8255756 (GDA94 / MGA zone 52)

Specifications
 Install new pole
 240 volt power available to existing pole
 CCTV power and data hardware housed in a vandal resistant, IP67 rated enclosure. Shade structures to be provided for all enclosures.

Camera	Duty Statement	Site Information
K9.1 - PTZ Camera	Facial identification (120% level resolution) of pedestrians in the area.	120% ANZPAA capture level of 50m at night. Camera will face west with a required range of 50m.
K9.2 - PTZ Camera	Facial identification (120% level resolution) of pedestrians in the area.	120% ANZPAA capture level of 100m at night. Camera will face north with a required range of 100m.
K9.3 - PTZ Camera	Facial identification (120% level resolution) of pedestrians in the area.	120% ANZPAA capture level of 150m at night. Camera will face east with a required range of 150m.
K9.4 - PTZ Camera	Facial identification (120% level resolution) of pedestrians in the area.	120% ANZPAA capture level of 100m at night. Camera will face south with a required range of 100m.

Location # K10 - River Fig Av Erythrina St

SWEK CCTV Project Stage 1 (2018/19)

CCTV Camera locations and coverage

COVERAGE



Camera K10.1 - River Fig Av (West)



Camera K10. 2—Car Parking



Camera K10.3— River Fig Av (East)

CCTV cameras are required at this site to provide footage of River Fig Av and Erythrina St.

Cameras will be required to:

- Provide facial identification (120% level resolution) of pedestrians accessing the area.
- Registration details of vehicles accessing the area.

Pole Location X 472230, Y 8255862 (GDA94 / MGA zone 52)

Specifications
 Install new pole
 No existing power source
 CCTV power and data hardware housed in a vandal resistant, IP67 rated enclosure. Shade structures to be provided for all enclosures.

Camera	Duty Statement	Site Information
K10.1 - Fixed/PTZ Camera	Facial identification (120% level resolution) of pedestrians in the area.	120% ANZPAA capture level of 100m at night. Camera will face south west with a required range of 100m.
K10.2 - PTZ Camera	Facial identification (120% level resolution) of pedestrians in the area.	120% ANZPAA capture level of 50m at night. Camera will face west with a required range of 50m.
K10.3 - Fixed/PTZ Camera	Facial identification (120% level resolution) of pedestrians in the area.	120% ANZPAA capture level of 100m at night. Camera will face north with a required range of 100m.
K10.4 - Fixed/PTZ Camera	Facial identification (120% level resolution) of pedestrians in the area.	120% ANZPAA capture level of 150m at night. Camera will face east with a required range of 150m.

Location # K11 - River Fig Av Barringtonia Av.

SWEK CCTV Project Stage 1 (2018/19)

CCTV Camera locations and coverage



COVERAGE



Camera K11.1 - River Fig Av (North)



Camera K11.2—Barringtonia Av



Camera K11.3— River Fig Av (South)

CCTV cameras are required at this site to provide footage of River Fig Av and Barringtonia Av.

Cameras will be required to:

- Provide facial identification (120% level resolution) of pedestrians accessing the area.
- Registration details of vehicles accessing the area.

Pole Location X 472297, Y 8256040 (GDA94 / MGA zone 52)

Specifications
 Install new pole
 No existing power source
 CCTV power and data hardware housed in a vandal resistant, IP67 rated enclosure. Shade structures to be provided for all enclosures.

Camera	Duty Statement	Site Information
K11.1 - Fixed/PTZ Camera	Facial identification (120% level resolution) of pedestrians in the area.	120% ANZPAA capture level of 100m at night. Camera will face South with a required range of 150m.
K11.2 - Fixed/PTZ Camera	Facial identification (120% level resolution) of pedestrians in the area.	120% ANZPAA capture level of 100m at night. Camera will face North with a required range of 100m.
K11.3 - Fixed/PTZ Camera	Facial identification (120% level resolution) of pedestrians in the area.	120% ANZPAA capture level of 150m at night. Camera will face East with a required range of 150m.

Location # K12—Konkerberry Dr and Tristania Street

SWEK CCTV Project Stage 1 (2018/19)

CCTV Camera locations and coverage



COVERAGE



Camera K12.1 Konkerberry Dr South



Camera K12.2 Konkerberry Dr service road and parking



Camera K12.3 Konkerberry Dr North

CCTV cameras are required at this site to provide footage of Konkerberry Dr and Tristania St.
Cameras will be required to:

- Provide facial identification (120% level resolution) of pedestrians accessing the area.
- Registration details of vehicles accessing the area.

Pole Location	X 472227 Y 8256201 (GDA94 / MGA zone 52)
Specifications	Install new pole No existing power source CCTV power and data hardware housed in a vandal resistant, IP67 rated enclosure. Shade structures to be provided for all enclosures.

Camera	Duty Statement	Site Information
K12.1 - Fixed/PTZ Camera	Facial identification (120% level resolution) of pedestrians in the area.	120% ANZPAA capture level of 100m at night. Camera will face South with a required range of 150m.
K12.2 - PTZ Camera	Facial identification (120% level resolution) of pedestrians in the area.	120% ANZPAA capture level of 100m at night. Camera will face North with a required range of 100m.
K12.3 - Fixed/PTZ Camera	Facial identification (120% level resolution) of pedestrians in the area.	120% ANZPAA capture level of 150m at night. Camera will face East with a required range of 150m.
K12.4 - Fixed/PTZ Camera	Facial identification (120% level resolution) of pedestrians in the area.	120% ANZPAA capture level of 150m at night. Camera will face East with a required range of 150m.

Location # K13—Weaver Plan Rd and Victoria Highway

SWEK CCTV Project Stage 1 (2018/19)

CCTV Camera locations and coverage

COVERAGE



Camera K13.1 - Victoria Highway West



Camera K13.2– Weaver Plains Road



Camera K13.3 - Victoria Highway West

CCTV cameras are required at this site to provide footage of Vitoria Highway and Weaver Plain Road.

Cameras will be required to:

- Provide facial identification (120% level resolution) of pedestrians accessing the area.
- Registration details of vehicles accessing the area.

Pole Location X 472259, Y 8255454 (GDA94 / MGA zone 52)

Specifications Install new pole
No existing power source
CCTV power and data hardware housed in a vandal resistant, IP67 rated enclosure. Shade structures to be provided for all enclosures.

Camera	Duty Statement	Site Information
K13.1 - Fixed	Facial identification (120% level resolution) of pedestrians in the area.	120% ANZPAA capture level of 150m at night. Camera will face west with a required range of 150m.
K13.2 - PTZ Camera	Facial identification (120% level resolution) of pedestrians in the area.	120% ANZPAA capture level of 150m at night. Camera will face north with a required range of 150m.
K13.3 - Fixed	Facial identification (120% level resolution) of pedestrians in the area.	120% ANZPAA capture level of 150m at night. Camera will face east with a required range of 150m.
K13.4 - PTZ Camera	Facial identification (120% level resolution) of pedestrians in the area.	120% ANZPAA capture level of 100m at night. Camera will face south with a required range of 100m.

Location # W1 - Koolinda St and Bonaparte St

SWEK CCTV Project Stage 1 (2018/19)

CCTV Camera locations and coverage

COVERAGE



Camera W1.1 - Bonaparte St. north



Camera W1.2 - Koolinda St west



Camera W1.3 - Bonaparte St. south

CCTV cameras are required at this site to provide footage of Koolinda St., the Croc Park and Bonaparte St.

Cameras will be required to:

- Provide facial identification (120% level resolution) of pedestrians accessing the area.
- Registration details of vehicles accessing the area.

Pole Location	X 0, Y 0 (GDA94 / MGA zone 52)
Specifications	Install new pole No existing power source CCTV power and data hardware housed in a vandal resistant, IP67 rated enclosure. Shade structures to be provided for all enclosures.

Camera	Duty Statement	Site Information
W1.1 - Fixed	Facial identification (120% level resolution) of pedestrians in the area.	120% ANZPAA capture level of 100m at night. Camera will face north with a required range of 100m.
W1.2 - PTZ Camera	Facial identification (120% level resolution) of pedestrians in the area.	120% ANZPAA capture level of 150m at night. Camera will face west with a required range of 150m.
W1.3 - PTZ Camera	Facial identification (120% level resolution) of pedestrians in the area.	120% ANZPAA capture level of 100m at night. Camera will face East with a required range of 100m.

Location # W2 - Koolinda St and Croc Park

SWEK CCTV Project Stage 1 (2018/19)

CCTV Camera locations and coverage

COVERAGE



Camera W2.1 - Koolinda St west



Camera W2.2 - Koolinda St east



Camera W2.3 - Koolinda St east

CCTV cameras are required at this site to provide footage of ***.
Cameras will be required to:

- Provide facial identification (120% level resolution) of pedestrians accessing the area.
- Registration details of vehicles accessing the area.

Pole Location	X 0, Y 0 (GDA94 / MGA zone 52)
Specifications	Install new pole No existing power source CCTV power and data hardware housed in a vandal resistant, IP67 rated enclosure. Shade structures to be provided for all enclosures.

Camera	Duty Statement	Site Information
W1.1 - Fixed	Facial identification (120% level resolution) of pedestrians in the area.	120% ANZPAA capture level of 100m at night. Camera will face north with a required range of 100m.
W1.2 - PTZ Camera	Facial identification (120% level resolution) of pedestrians in the area.	120% ANZPAA capture level of 150m at night. Camera will face west with a required range of 150m.
W1.3 - PTZ Camera	Facial identification (120% level resolution) of pedestrians in the area.	120% ANZPAA capture level of 100m at night. Camera will face East with a required range of 100m.

Location # W3 - St Pauls Way

SWEK CCTV Project Stage 1 (2018/19)

CCTV Camera locations and coverage



COVERAGE



Camera W3.1 - WLC courts



Camera W3.2 - WLC Laneway



Camera W3.3 - WLC Pool

CCTV cameras are required at this site to provide footage of Wyndham Leisure Centre Courts, Rec building and pool areas.

Cameras will be required to:

- Provide facial identification (120% level resolution) of pedestrians accessing the area.
- Registration details of vehicles accessing the area.

Pole Location X 405865, Y 8287840 (GDA94 / MGA zone 52)

Specifications Existing light shire court flood pole
Powered from the hall, run cable along existing light cable.
CCTV power and data hardware housed in a vandal resistant, IP67 rated enclosure. Shade structures to be provided for all enclosures.

Camera	Duty Statement	Site Information
W3.1 - PTZ Camera	Facial identification (120% level resolution) of pedestrians in the area.	120% ANZPAA capture level of 100m at night. Camera will face south with a required range of 100m.
W3.2 - PTZ Camera	Facial identification (120% level resolution) of pedestrians in the area.	120% ANZPAA capture level of 100m at night. Camera will face west with a required range of 100m.
W3.3 - Fixed	Facial identification (120% level resolution) of pedestrians in the area.	120% ANZPAA capture level of 50m at night. Camera will face north with a required range of 50m.

Location # W4 - Koolama Street

SWEK CCTV Project Stage 1 (2018/19)

CCTV Camera locations and coverage

COVERAGE



Camera W4.1 - Shire Office lawn area and parking



Camera W4.2 - Koolama St, shopping area and Tree Park entrance



Camera W4.3 - Timor Street

CCTV cameras are required at this site to provide footage of Koolama St. and Timor St. capturing the lawn and park areas around the Shire Office and shops on Koolama St.

Cameras will be required to:

- Provide facial identification (120% level resolution) of pedestrians accessing the area.
- Registration details of vehicles accessing the area.

Pole Location X405890, Y 8287715 (GDA94 / MGA zone 52)

Specifications
Install new pole
Power available from shire Office
CCTV power and data hardware housed in a vandal resistant, IP67 rated enclosure. Shade structures to be provided for all enclosures.

Camera	Duty Statement	Site Information
W4.1 - Fixed	Facial identification (120% level resolution) of pedestrians in the area.	120% ANZPAA capture level of 50m at night. Camera will face north with a required range of 50m.
W4.2 - PTZ Camera	Facial identification (120% level resolution) of pedestrians in the area.	120% ANZPAA capture level of 150m at night. Camera will face west with a required range of 150m.
W4.3 - PTZ Camera	Facial identification (120% level resolution) of pedestrians in the area.	120% ANZPAA capture level of 100m at night. Camera will face East with a required range of 100m.